

MARINE

GOLF

INDUSTRIAL

AUTO

PLICATIONS

SOLAR

DL+ 12 25

LiFePO4 11 YEARS OF WARRANTY

Voltage: 12V

Reserve Capacity: 25Ah

• Energy [Wh]: 300

Active BMS Protection

• Weight: 6.4 lbs (2.9 kg)

• Length: 7.125 in (181 mm)

• Width: 3.03 in (77 mm)

• Height: 6.69 in (170 mm)

• M6

Operating Temperature: -20F to +120F

Battery Charger not included



UL 1642 UN 38.3 IEC 62133



Built Dakota tough, this 12v 25 Ah volt lithium battery packs a big punch. Engineered with Lithium Iron Phosphate (LiFePO4) technology this battery has twice the power, half the weight, and lasts 5 times longer than a sealed lead acid battery – providing exceptional lifetime value. 25 Amp hours of capacity provides a full day of power for high amp draw electronics like Garmin fish finders, ice augers, or anything where you need a longer run time. Dakota Lithium's dual purpose BMS technology also provides 300cca of engine starting power for use in ATVs, UTVs, lawn tractors, generators, and other small gasoline engines. Same deep cycle performance as our legendary 10 Ah battery, but with 150% more capacity. Replacement for 18Ah & 20Ah SLA batteries including size UB12180, FM12180, 6fm18 and others. LiFePO4 charger recommended.

200%

TWICE THE POWER OF TRADITIONAL BATTERIES

1/3

ONE THIRD THE WEIGHT

5X

CHARGES UP TO 5X FASTER

8X

LASTS 8X LONG

100%

SAFE & RELIABLE





MODEL **DL+ 12 25**

VOLTAGE 12V

CAPACITY 25Ah

BATTERY TYPE Deep Cycle Lithium Iron Phosphate

CYCLE LIFE > 3,000 CYCLE @ 80% DOD

INTELLIGENCE Active BMS Protection

CERTIFICATION UN38 / UL1642 / IEC62133



PRODUCT + PHYSICAL SPECIFICATIONS

BCI Group Size	Туре	Voltage	Cell(s)	Terminal Type ^G	Dim	ensions ^c Inches (mm)	Weight Lbs. (kg)
					Length	Width	Height ^F	
	DL+ 12 25	12		M6	7.125 (181)	3.03 (77)	6.69 (170)	6.4 (2.9)

ELECTRICAL SPECIFICATIONS

Capacity ^A Minutes				Energy (Wh)	Short Circuit Current (amps)
@ 25 Amps	5-Hr	10-Hr	20-Hr	20-Hr	
-	25	25	25	300	

CHARGING INSTRUCTIONS

Charger Settings					
Recommended Charging Voltage	14.4V				
Maximum Charging Voltage 15 V					
Maximum Charging Current @ Temperature					
> 32F (0C)	30				
14F to 32 F (-10C TO 0C)	N/R				
-4 F to 14 f (-20C to -10C) N/R					





CHARGING INSTRUCTIONS


30A max, 14.4V recommended, 15V max. Avoid charging below 32F

CHARGER SOLD SEPARATELY

This battery should be charged using a LiFePO4 compatible charger. Dakota Lithium 12V batteries should be charged at 14.4 volts, higher than AGM or lead acid. Lead acid chargers will work, but will only charge the battery to 80% of capacity.

OPERATIONAL DATA

Optimal Operating Temperature	Recommended Storage Temperature
-20°F to 120°F (-6°C to 49°C) At temperatures below 32°F (0°C)	-20F to 120F (-6C to 49C)
Charging Current Reduced	







HALF THE WEIGHT. TWICE THE POWER

All Dakota Lithium batteries are engineered with Lithium Iron Phosphate technology (LiFePO4) providing long lasting performance in the harshest environments. Allowing you to go further, last longer, and play harder.

11 YEAR WARRANTY

Dakota Lithium offers a best in class 11 year pro-rated warranty on all of our batteries.

AMERICAN INNOVATION & USA BASED SUPPORT

SAFETY

Dakota Lithium has engineered the safest lithium battery technology on the market today - a battery that is safer than the one in your cellphone, camera, or laptop. Here are a few examples of how we manage safety here at Dakota Lithium:

SAFETY BATTERY MANAGEMENT SYSTEM (BMS) - Ensures safety and long battery lifespan All Dakota Lithium batteries include an active BMS protection circuit that handles cell balancing, low voltage cutoff, high voltage cutoff, short circuit protection and temperature protection for increased performance and longer life. Safety measures provided by the BMS prevent overheating. All Dakota Lithium batteries have a BMS that can support linking batteries in series or parallel.

LITHIUM IRON PHOSPHATE - LiFePO4 Different Li-ion batteries use different chemistries. Dakota Lithium exclusively engineers our batteries using lithium iron phosphate or LiFePO4 for short. Lithium Iron Phosphate batteries are the safest lithium battery chemistry. Unlike the cell phone battery in your pocket, or the laptop battery on your desk, the structural stability of LiFePO4 results in significantly less heat generation compared to other lithium chemistries.

NO THERMAL RUNAWAY - Dakota Lithium cells do not produce oxygen The main cause of fire or explosion of a lithium ion battery is due to the cells being compromised or ruptured, which causes thermal runaway. Without proper management, thermal runaway may result in fire. Dakota Lithium LiFePO4 is extremely stable and does not produce the oxygen needed to aid thermal runaway and unlike other lithium battery chemistries will not result in a catastrophic meltdown.

100% COBALT FREE - No rare earth elements NCM and other lithium ion chemistries that contain rare earth elements such as Colton or Cobalt produce oxygen and toxic fumes when ruptured, leading to fire. Dakota Lithium does not contain rare earth elements, and does not produce oxygen or is prone to fire.

CERTIFICATIONS - Tested and certified for safety and reliability Dakota Lithium batteries meet U.N. 38.3 standards and built from grade A cells. Dakota Lithium's cells are UL1642 certified and have been tested per IEC62133 standards. UN Manual of Tests and Criteria certified, and meets all US & International regulations for air, ground, marine, and train transport. Dakota Lithium is ISO Certified per 9001:2015 standards, and select models are produced in ISO 14001 certified facilities. IEC62133 certifications and additional laboratory services are available as required by our OEM clients.

INSTALLATION & CARE - Treat your batteries right When proper installation and battery care is followed, your LiFePO4 battery will be safe and reliable for many years. This includes making sure all connections are tight and proper wiring sizes are used, **compatible chargers** and charging components are used, and the batteries are used for purposes that they are designed for.